

Release Notes

Catalyst Browse™

March 2024

Contents

This document contains information on the following topics:

- [1.0 Welcome](#)
- [2.0 What's New](#)
- [3.0 Known Issues](#)
- [4.0 System Requirements](#)
- [5.0 Installation](#)
- [6.0 Contacting Sony Corporation](#)

1.0 Welcome

Thank you for using Catalyst Browse. This document contains information about installing and using Catalyst Browse.

2.0 What's New

Notable fixes/changes in version 2024.1

- Added support for **Apple silicon**.
- Added support for **macOS 14 Sonoma**.
- Image quality when stabilization is applied has been improved.
- Added support for sign-in with Sony account.
- Added support for **OK / NG / KEEP** flags in MP4 files.
- Added support for shutter angle metadata display in MP4 files.
- The latest version can no longer be downloaded directly from the application's upgrade version notification. Instead, the latest version can be downloaded from a web browser.
- The distribution format of the application installer has changed. For Windows, it will be distributed as a .exe or .zip file, And for Mac, it will be distributed as a .dmg file.
- Encoding with XAVC, which uses Sony Encoder, cannot be selected on Mac devices with Apple silicon. Encoding is performed using MainConcept encoder.
- The YouTube upload function is no longer offered.
- On Mac devices with Apple silicon, Optical Disc Archive Software is incompatible, so ODA is not supported. (as of March 2024)
- Fixed a bug where the Auto cropping amount of lens breathing does not change based on the On/Off status of stabilization.
- Fixed a bug where if there isn't enough camera shake/lens breathing metadata included in the clip, the "Off" button cannot be disabled.
- Fixed a bug where Mac devices with Apple silicon would crash when a file with a long path was opened.

Notable fixes/changes in version 2023.2

- Support for video formats has been added.
- New look profiles including **Cool, Teal and Orange, Vintage, and Warm** have been added.
- It is now possible to use lens breathing compensation with image stabilization turned off, even when camera settings for lens distortion compensation is turned off.
- A minimum limit for the cropping amount has been implemented to ensure that there are no black borders around the frame when performing image stabilization and lens breathing compensation.
- Lens breathing compensation is now available for MXF files as well.
- Fixed a bug that caused the app to crash when opening files in the app after renaming or deleting the contents of the X-OCN folder.
- Fixed a bug that caused exported LUT files to have sizes of 0 bytes after exporting.
- Fixed a bug that caused the app to crash when copying clips to the library.
- Fixed a bug that caused failures to copy spanned AVCHD files on Mac, even when there was sufficient storage space available.
- Fixed a bug that caused increased shake when applying stabilization to clips shot in active stabilization mode.
- Fixed a bug that displayed update notifications even when using the latest version of the app.
- Fixed a bug that caused batch rendering to stop and fail midway when rendering multiple clips.
- Fixed a bug that caused the app to crash when setting the **[SR Live Metadata source]** to **[External source]** when the specified file contained certain characters.

- Fixed a bug that caused the export of XAVC S clips to fail when batch exporting XAVC S clips alongside XAVC Intra HD or XAVC Intra 2K clips.
- Fixed a bug that prevented the upload process from completing when uploading files larger than the available space on Ci.
- Fixed a bug that prevented the status flag from being displayed for clips stored on the Professional Disk.

Notable fixes/changes in version 2023.1

- Visualization of stabilization data.
- Improved **Copy snapshot to clipboard** and **Save snapshot** functions.
 - **Copy snapshot to clipboard** and **Save snapshot** commands have been moved from the **More Actions** menu to a dedicated **Snapshot** menu.
 - The **Snapshot** menu provides access to options for saving snapshots.
- **Mark In** and **Mark Out** buttons have been moved to the main transport toolbar.
- Added **Generate PDF catalog** and **Generate CSV catalog** commands to the Places pane.
- Added support for exporting clip rotation metadata in the following formats:
 - MXF: XAVC Intra, XAVC Long, and XDCAM (MPEG-2)
 - MP4: XAVC-S
- Updated OpenSSL to address a vulnerability when parsing certificates when logging in to share clips on Ci (CVE-2022-0778).
- Fixed a bug that could cause the application to crash when attempting to take a snapshot while the clip was loading.
- Fixed a bug that could cause rendering to stop when rendering XDCAM MPEG HD422 50 Mbps clips.
- Fixed a bug that could cause decreased playback performance when seeking in long-GOP based media.
- Fixed an issue with user Looks on a Japanese OS when the Documents folder was synchronized with OneDrive.
- Fixed a bug that could cause image corruption when playing back some rendered XAVC S clips.
- Fixed an issue that could cause Rec.709 (and other SDR clips) to be displayed too bright if **LUT Mode** was set to **Metadata** or **Off** for a previous HDR clip.
- Fixed a bug that could cause the application to crash in the Correct Clip workspace after canceling analysis and analyzing a clip again.
- Fixed a bug that could cause batch export to fail on some systems with NVIDIA GPUs when the **Format** was set to **AVC/AAC (*.mp4)** and the **Encode mode** was set to **Optimize encoding speed**.
- Fixed a bug that caused the application to incorrectly identify some interlaced AVC MP4 clips as progressive.
- Fixed a bug that could cause flickering playback of 4:2:0 XAVC Long clips on Windows systems with Quick Sync Video graphics.
- Fixed a bug that could cause some IMX files to play back incorrectly.
- Fixed a bug that caused incorrect **End time** metadata values to be displayed for XAVC S 120p clips.
- Fixed a bug that could cause timecode to flicker during playback (macOS only).
- Fixed a bug that could cause the **Analyze** button to be unavailable after canceling clip analysis in the Correct clip workspace.
- Fixed a bug that could cause the **Corrected crop resolution** value to be displayed incorrectly in the Correct clip workspace.
- Fixed a bug that could cause the **Mark In** and **Mark Out** controls to be displayed above the timeline in the Correct Clip workspace when multiple clips were selected.
- Fixed a bug that could cause folder icons to be displayed incorrectly in Browse mode after sorting the contents of the folder in list view.
- Improved file sizes and optimized audio interleaving in XAVC S renderers.
- Fixed a bug that prevented the Tab key from navigating among fields in the Export Catalog dialog when using Generate PDF Catalog.
- Fixed a bug that caused **Show save areas** and **Masking ratio** to be displayed incorrectly in 2-up preview mode.
- Fixed a bug that could prevent devices from being ejected after exiting the Correct clip workspace.
- Fixed a bug that could cause UI text to be corrupted after starting the application for the first time.
- Fixed a bug that could cause controls in the Correct clip workspace to be unavailable after changing the workspace zoom level.

3.0 Known Issues

- On some computers, the application can hang during startup/registration. Updating your graphics driver will allow the application to start normally.
- Spanned AVCHD clips may exhibit audio and video noise when previewing the transition between clips. Transcoding is not available for spanned AVCHD clips. We recommend that you copy the clips to your local drive before working with them.
- ASC-CDL (.cdl) files are not displayed in the Load ASC-CDL dialog when the file is saved in a known folder structure (such as an XAVC or XDCAM volume). Saving the ASC-CDL files in a generic location such as the General folder will allow you to load them.
- When playing 4K clips, the video preview can display irregularities on some systems that do not meet the [system requirements](#) for 4K media.
- Transcoding performance can be slow when transcoding to an exFAT-formatted SxS card on Windows.
- On some systems, transcoding can fail when using Intel HD Graphics Driver for Windows 8.1 version 10.18.15.4279. Please use the latest driver from Intel.
- In some cases, transcoding does not work correctly if an EDL is opened while an EDL is already open in the EDL workspace. If you switch to Browse or View mode and reopen the EDL, transcoding will work as expected.

- If you use the Upload to Ci feature while the EDL Import workspace is open, the last-selected file from Browse or View mode is uploaded to Ci rather than the loaded EDL (macOS only).
- Blackmagic Design Desktop Video 10.1.1 or later is required when using an external monitor via a Blackmagic Design SDI or UltraStudio device.
- If playback is not smooth when previewing high-resolution clips, click the magnifying glass in the video preview window and decrease the preview resolution.
- The **Combine relay clips** command can produce incorrect timecode if used to combine clips that are not relay clips.
- Catalyst applications can crash on some Windows 10 systems that include multiple GPUs (one AMD GPU and one Intel or NVIDIA GPU). Please check for updated AMD GPU drivers.
- If you need to format an SxS card, please use the [Memory Media Utility](#).
- If you need to format or finalize an XDCAM Professional Disc volume, please use the [XDCAM Drive Software](#).
- After importing an EDL, the spacebar does not start/stop playback, and JKL keys do not shuttle playback.
- When working with clip lists or multiple selected clips, the **Start time** value in the Inspector does not match the timecode of the cursor position in some cases.
- In some cases, the application can crash during startup when attempting to read some MP4 clips. Resetting the application preferences as described below can reset the last-viewed folder and allow the application to start normally.
- If you want to reset the application's preferences to their default values, hold Ctrl+Shift while double-clicking the application icon. When the application starts, you'll be prompted to reset all preferences.
- When copying a clip list and its clips to an XDCAM device via FAM, the clips' UMID data is changed, which breaks media links and will cause the copy operation to fail.
- Copying growing MXF clips to the PDW-HD1500 via FTP can fail.
- When viewing MXF clips from an XDCAM Station or Professional Disc volume, Catalyst Prepare now reads metadata from the sidecar XML. This improves performance but can result in a reduced set of metadata being displayed in the Inspector.
- Attempting to preview a clip with a backslash (\) in the file name will result in a "The media is offline, missing, or unsupported" error message (macOS only).
- If Catalyst Browse fails to start due to an invalid license file, you can reset the application preferences to choose the correct license file the next time you start the application:
 - Windows: Hold Shift+Windows while starting the application.
 - MacOS: Hold Shift+Command while starting the application.
- Some computers running macOS 10.13 (High Sierra) may experience visual inconsistencies, hangs, or crashes when previewing clips with the secondary window enabled.
- When running macOS 10.13 (High Sierra), access to Professional Disc and Optical Disc Archive volumes is not available. Support will be enabled when updated device drivers are released. Please check https://scs.custhelp.com/app/answers/detail/a_id/5215/kw/Announcement for updated XDCAM Drive Software and Optical Disc Archive Software.
- If you notice corrupted video preview or decreased playback performance on macOS High Sierra (10.13), please install the latest High Sierra update to ensure your system is using the latest graphics drivers.
- When transcoding to XAVC Intra, XAVC Long, and XAVC S formats, some Windows PCs may produce an error. Running Windows Update or installing the Microsoft Visual C++ 2017 Redistributable manually will resolve the issue.
- When previewing spanned AVCHD clips, you may see blocking noise at the transitions between clips. If you use the **Combine relay clips** command, the new clip will not exhibit the noise during playback.
- Deleting clips from a Professional Disc volume can fail if the clips are still loading when you attempt to delete them. Verify the load icon is not displayed in the main video preview window or in the Preview window in the Inspector and then try deleting clips again.
- Attempting to log in to Ci Workspace using an Enterprise Email (SSO) account fails to log in successfully. We are actively investigating the issue.
- In some cases, playback performance can be reduced on macOS computers when an NVIDIA GPU is selected from the **Video processing device** drop-down list in Options. In this case, please choose the Intel GPU from the **Video processing device** drop-down list.
- Some computers with an NVIDIA GPUs could produce flashing in the Histogram and Scopes windows. Please update to the latest NVIDIA driver.
- Clip stabilization could fail for MP4 clips if the lens was detached and reattached during recording.
- When upgrading from Catalyst 2020.1 or earlier, the application may fail to start on some systems with an Intel GPU. If this occurs, please try the following:
 1. Install the latest Intel GPU driver (reinstalling the same version does not resolve the issue).
 2. Uninstall the Intel SDK for OpenCL.
 - Open your Start menu and click the **Settings** button.
 - From the Settings menu, choose **Apps & Features**.
 - Enter "OpenCL" in the box labeled **Search this list**.
 - If "Intel SDK for OpenCL" appears in the search results, select and uninstall it.

- Once you have uninstalled the above component, try starting Catalyst Browse again.
- When stabilizing a clip using an Intel GPU, some user interface elements could be displayed in white. This issue could be improved by updating to the latest Intel GPU driver. Please note that if this issue occurs, the rendered output of the stabilized clip is not affected.
- When previewing some XAVC HS proxy clips, the application can crash or a green line can be displayed at the top of the frame. This issue affects preview only and does not affect source clips or rendered output. You can avoid the issue using one of the following workarounds:
 - Turn off **Preview using proxy clips** in Options.
 - Click the **Playback Settings** button on the left side of the transport controls to display the Playback Settings controls, and then click the **Quality** or **All Frames** button.
- In some cases, Intel Quick Sync Video is not properly initialized the first time the application is started after installation. After you exit and start the application again, Quick Sync Video will work as expected.
- Some systems running macOS Catalina may fail to play supported media after installing Catalina Security Update 2021-002 (19H1030) due to a regression in the OpenCL framework. Security Update 2021-003 (19H1217) and subsequent updates do not exhibit this behavior. If installing subsequent updates does not resolve the issue, roll back Security Update 2021-002 (19H1030) and then install 2021-003 (19H1217) or later.
- On Windows systems with some GPU configurations, XAVC S clips rendered in Catalyst 2021.1 and earlier may preview with distorted video in Catalyst applications. The rendered video essence is error free; the distortion is limited to playback in Catalyst applications. You can re-render the clips in Catalyst 2022.1 to resolve the issue.
- When a clip is exported using the XAVC S Long 422 S-Log2 or S-Log3 color space, some NLEs could recognize the clip as video range and the preview image color could be extended. If the NLE has an input range setting -- such as newer versions of DaVinci Resolve -- you can set the range to Full so the preview image color is not extended. Alternatively, you can use XAVC S Intra 422 or XAVC S Long (420).

4.0 System Requirements

The following lists the minimum system requirements for using Catalyst Browse:

- A 64-bit operating system: Microsoft® Windows 10 or Windows 11, macOS 12 (Monterey), 13 (Ventura), or 14 (Sonoma)
- 2 GHz multicore processor
 - An 8-core processor is recommended for 4K media
 - Intel Ivy Bridge Core i7 with Quick Sync Video or Xeon E5 processor is recommended for 4:2:0 8-bit XAVC S media
 - Intel Kaby Lake Core i7 processor with Quick Sync Video is recommended for 4:2:0 XAVC HS media and required for 8K media
 - Apple M1 or Intel Ice Lake Core i7 processor with Quick Sync Video is recommended for 4:2:2 XAVC HS media and required for 8K media
 - For XAVC / XAVC S 422 10-bit Long GOP and Intra : An Apple M1 or higher is recommended
- 500 MB hard-disk space for program installation
- Solid-state disk (SSD) or high-speed RAID for 4K or larger media
- 4 GB RAM (8 GB recommended for 4K or larger media)

The **XAVC Long 422 3840x2160 200 Mbps (Sony)** transcoding presets require 16 GB or more RAM. If you're using a dedicated GPU, the presets also require 4 GB or more GPU memory.

- Apple, NVIDIA, AMD, or Intel GPU with support for OpenCL 1.1 or later with at least 1024 MB of memory or a CPU with SSE 4.2 or higher
 - OpenGL 2.1 is recommended for optimum performance
 - OpenGL 4.1 is required for video stabilization/lens breathing compensation
 - 2 GB GPU memory is recommended for 4K preview, HD rendering, or HD video stabilization/lens breathing compensation
 - 6 GB of GPU memory is recommended for decoding XAVC S or XAVC HS media, and we recommend using the latest GPU driver version from NVIDIA, AMD, or Intel. In macOS provides hardware decoding of XAVC, XAVC S and XAVC HS media with Apple M1 or higher chips and partial hardware acceleration of XAVC S and XAVC HS with Intel chips.
 - 6 GB GPU memory is recommended for 4K rendering
 - 8 GB GPU memory is recommended for 8K rendering or 4K video stabilization/lens breathing compensation
 - 10 GB GPU memory is recommended for 8K video stabilization/lens breathing compensation

If your GPU supports OpenCL 1.1, please install the latest driver to enable OpenCL on your GPU for the best possible performance. If your GPU does not support OpenCL 1.1, install the Intel OpenCL runtime for CPU. For more information about installing the Intel OpenCL runtime for CPU, please refer to this [Knowledgebase article](#).

5.0 Installation

The install utility creates any necessary folders and copies all files required by Catalyst Browse to your computer.

1. Download the install utility from our [Web site](#).
2. Double-click the file, and then follow the on-screen prompts to install the appropriate version of Catalyst Browse for your computer.

6.0 Contacting Sony Corporation

Sony Corporation can be contacted in the following ways:

Customer Service/Sales/Technical Support:

For a detailed list of Customer Service, Technical Support, options we encourage you to visit <https://www.sony.net/catalyst/help/>.

© 2024. Sony Corporation All Rights Reserved.